







ALTERNATIVE FILTER ELEMENTS

ABAC (new)





	P	G	C	V
ABAC (new) Plastic end caps				
Particle retention	1 µm	0,1 µm	0,01 µm	activated carbon
Solids - q. class (ISO 8573-1)	3	2	1	1*
Oils -q. class (ISO 8573-1)	-	2	1	1
Filter media	borosilicate micro fibres			activated carbon
Operating temp. range [°C]	1,5 to 65	1,5 to 65	1,5 to 65	1,5 to 45
Diff. pressure (new) [mbar]	20	50	80	60

	P		G		C		V	
	ABAC	OMEGA AIR	ABAC	OMEGA AIR	ABAC	OMEGA AIR	ABAC	OMEGA AIR
FILTER 45	OAB 45 P/R		FILTER 45	OAB 45 G/M	FILTER 45	OAB 45 C/S	FILTER 45	OAB 45 V/A
FILTER 90	OAB 90 P/R		FILTER 90	OAB 90 G/M	FILTER 90	OAB 90 C/S	FILTER 90	OAB 90 V/A
FILTER 125	OAB 125 P/R		FILTER 125	OAB 125 G/M	FILTER 125	OAB 125 C/S	FILTER 125	OAB 125 V/A
FILTER 180	OAB 180 P/R		FILTER 180	OAB 180 G/M	FILTER 180	OAB 180 C/S	FILTER 180	OAB 180 V/A
FILTER 290	OAB 290 P/R		FILTER 290	OAB 290 G/M	FILTER 290	OAB 290 C/S	FILTER 290	OAB 290 V/A
FILTER 505	OAB 505 P/R		FILTER 505	OAB 505 G/M	FILTER 505	OAB 505 C/S	FILTER 505	OAB 505 V/A
FILTER 685	OAB 685 P/R		FILTER 685	OAB 685 G/M	FILTER 685	OAB 685 C/S	FILTER 685	OAB 685 V/A
FILTER 935	OAB 935 P/R		FILTER 935	OAB 935 G/M	FILTER 935	OAB 935 C/S	FILTER 935	OAB 935 V/A
FILTER 1295	OAB 1295 P/R		FILTER 1295	OAB 1295 G/M	FILTER 1295	OAB 1295 C/S	FILTER 1295	OAB 1295 V/A
FILTER 1890	OAB 1890 P/R		FILTER 1890	OAB 1890 G/M	FILTER 1890	OAB 1890 C/S	FILTER 1890	OAB 1890 V/A
FILTER 2430	OAB 2430 P/R		FILTER 2430	OAB 2430 G/M	FILTER 2430	OAB 2430 C/S	FILTER 2430	OAB 2430 V/A

* Valid if "S" filter cartridge is installed upstream.

OMEGA AIR **ALTERNATIVE FILTER ELEMENTS**

ABAC (old)

	MBP	MBM	MBS	MBA
ABAC (old) Plastic end caps				
Particle retention	3 µm	0,1 µm	0,01 µm	activated carbon
Solids - q. class (ISO 8573-1)	6	2	1	1*
Oils - q. class (ISO 8573-1)	-	2	1	1
Filter media	acrylic fibres, cellulose	borosilicate micro fibres		activated carbon
Operating temp. range [°C]	1,5 to 65	1,5 to 65	1,5 to 65	1,5 to 45
Diff. pressure (new) [mbar]	10	50	80	60

	MBP		MBM		MBS		MBA	
	ABAC	OMEGA AIR	ABAC	OMEGA AIR	ABAC	OMEGA AIR	ABAC	OMEGA AIR
MBP 60		OAB 60 MBP/P	MBM 60	OAB 60 MBM/M	MBS 60	OAB 60 MBS/S	MBA 60	OAB 60 MBA/A
MBP 80		OAB 80 MBP/P	MBM 80	OAB 80 MBM/M	MBS 80	OAB 80 MBS/S	MBA 80	OAB 80 MBA/A
MBP 120		OAB 120 MBP/P	MBM 120	OAB 120 MBM/M	MBS 120	OAB 120 MBS/S	MBA 120	OAB 120 MBA/A
MBP 200		OAB 200 MBP/P	MBM 200	OAB 200 MBM/M	MBS 200	OAB 200 MBS/S	MBA 200	OAB 200 MBA/A
MBP 340		OAB 340 MBP/P	MBM 340	OAB 340 MBM/M	MBS 340	OAB 340 MBS/S	MBA 340	OAB 340 MBA/A
MBP 510		OAB 510 MBP/P	MBM 510	OAB 510 MBM/M	MBS 510	OAB 510 MBS/S	MBA 510	OAB 510 MBA/A
MBP 800		OAB 800 MBP/P	MBM 800	OAB 800 MBM/M	MBS 800	OAB 800 MBS/S	MBA 800	OAB 800 MBA/A
MBP 1000		OAB 1000 MBP/P	MBM 1000	OAB 1000 MBM/M	MBS 1000	OAB 1000 MBS/S	MBA 1000	OAB 1000 MBA/A
MBP 1500		OAB 1500 MBP/P	MBM 1500	OAB 1500 MBM/M	MBS 1500	OAB 1500 MBS/S	MBA 1500	OAB 1500 MBA/A
MBP 2400		OAB 2400 MBP/P	MBM 2400	OAB 2400 MBM/M	MBS 2400	OAB 2400 MBS/S	MBA 2400	OAB 2400 MBA/A

* Valid if "S" filter cartridge is installed upstream.